

Aurora Beam **Pro**

LED Mesh Screen



Professional Leads Future



DIP570, 3 in 1, is used to ensure high stability and consistency



Lightweight



Front and Rear  
Installation and  
Maintenance



All-Weather  
Work



Quiet Design



High  
Transparency



High  
Brightness



Low Power  
Consumption



High  
Refresh Rate

**Outdoor Installation**  
**Lightweight and Transparent**

## Lightweight



## Easy to Carry

Aluminum frame at 17kg/m<sup>2</sup>. Almost 60% lighter than traditional cabinets. Greatly reduces load-bearing requirements on buildings and steel structures.

## Slim

### Slim Design

The thickness of the screen is only 85mm, which saves space and makes the building simple and beautiful.




B1531 Pro Screen



Traditional Display Screen

## Transparent



### High Transparency

- Transparency rate: 66.7%.
- Let in air without light, transparent and diversified design.
- Use air convection to dissipate heat without air conditioning.

## Easy

### Installation and Maintenance

Front or back installation and maintenance, more flexible and faster.



Front installation and maintenance





back installation and maintenance



## High protection level Front and rear **IP65**

Meet outdoor -40°C~60°C various  
working environments



### Product Parameters

Product Name	B1531 Pro
Pixel Configuration	DIP570
Pixel Pitch(mm)	15.6x31.2
Module Dimensions (LxWxH)/ (mm)	500x250x25
Cabinet Dimensions (LxWxH)/ (mm)	1000x1000x85
Panel Material	Aluminum profile
Cabinet weight (kg)	17
Color Grayscale (Bit)	14
Transparency Rate	66.7%
Refresh Rate (Hz)	3840
Drive Mode	Static
Brightness (nit)	6600
Horizontal / Vertical Viewing Angle (°)	100/100
AC Input Voltage (V)	AC:200-240V
AC Input Power Maximum Value (W/m <sup>2</sup> )	653
AC Input Power Typical Value (W/m <sup>2</sup> )	218
Working Temperature (°C)	-40~60
IP rating (Front/Rear)	IP65/IP65
Storage Humidity (RH)	10%~90% non-condensing
Working Humidity (RH)	10%~90% non-condensing
Cabinet Installation Type	Fix





For further details :

UAE Address:  
P3-Hamriyah Business Centre  
PO Box 50235  
Hamriyah Free Zone - Sharjah - UAE.  
E-mail: [info@tgen5.com](mailto:info@tgen5.com)  
Tel : +97143488459

[WWW.TGEN5.COM](http://WWW.TGEN5.COM)