

# M Series

Stylish Digital Poster Screen



Light Weight



High Refresh



Easy Installation




Big Perspective





Easy Maintain

## Thin & Light Weight




The screen has slim and light weight body but it is very durable because of high-strength aluminum profile material. Considering that the whole screen only weighs 45kg, it is very portable and easy to install.


## Network Integration




Stand-Alone Mode



Multi-screen Mode



Wireless Multi-screen Mode



Mirroring Mode



Extended Mode

Remote centralized-control enables users control all the screens and manage digital content just at their offices. Besides, the controlling system supports mirroring mode and extended mode.


## Product Design

HD seamless display and Plug&Play media player are provided. The digital content can be easily transferred to build-in media player by using WIFI or USB.



### Colorful Design

- Red
- Brownness
- Orange
- Blue
- Purple
- Silver
- Green



Function

## Standard Accessories



Power Cable(2m)



Network Cable(2m)




HDMI Cable(2m)

## SPECIFICATIONS

Parameter	M2	M2.5
Pixel Configuration	SMD1515	SMD2020
Pixel Pitch (mm)	2	2.5
Pixel matrix per panel	320x960	256x768
Cabinet Dimensions (LxWxH)/ (mm)	Case Size: 695x1975x101 Display Size: 640x1920	Case Size: 695x1975x101 Display Size: 640x1920
Module Dimensions (LxWxH)/ (mm)	320x160x14.5	320x160x14.5
Panel Material	Aluminum profile	Aluminum profile
Cabinet Weight (kg/panel)	45	45
Module Weight (kg/panel)	0.45	0.45
Signal Input Type	HDMI/WIFI(app)/USB	HDMI/WIFI(app)/USB
Gray Scale per Color (level)	≥16384	≥16384
Refresh Rate (Hz)	1920	1920
AC Input Voltage (V)	AC:100~240V±10%	AC:100~240V±10%
Brightness (nit)	800	800
Pixel View (horizontal / vertical) (°)	140/140	140/140
Power (maximum / average)	880/293	600/199
Working Temperature (°C)	-10~40	-10~40
IP Rating (Front/Rear)	IP30/IP30	IP30/IP30
Working Humidity (RH)	10%~60% non-condensing	10%~60% non-condensing
Cabinet Installation Type	Hanging/Standing	Hanging/Standing

Customization

Centralized-control/Hanging/Wall-mounting



## Multiple Installing Options


The screen has Fold-out standing, hanging and wall-mounting installing options with vertical, horizontal and sideling installing positions available. Among these options, Fold-out standing option is movable and more flexible.



Fold-out Standing



Sideling Installation



Hanging Installation



Shaping Installation

Product Application



For further details :

UAE Address:  
P3-Hamriyah Business Centre  
PO Box 50235  
Hamriyah Free Zone - Sharjah - UAE.  
E-mail: [info@tgen5.com](mailto:info@tgen5.com)  
Tel : +97143488459

[WWW.TGEN5.COM](http://WWW.TGEN5.COM)