



# TG-536WB



**SOLUTIONS SECURING YOUR WORLD**

## KEY FEATURES

- 5MP mini Bullet Day/Night Vandal proof 180° Panoramic Camera
- Smart IR, up to 15m IR distance
- 120dB Super WDR
- Smart Streams
- ONVIF Profile G & Q & S & T, API
- Advanced built-in microphone
- Advanced Functions
- 256GB Supports External Storage
- IP67 & IK10

# SPECIFICATIONS

<b>Description</b>	5MP, H.265+, 30fps, Vandal-proof 180° Panoramic Bullet Network Camera	
<b>Camera</b>	Image Sensor	1/2.8" Progressive Scan CMOS
	Lens options	1.68mm@F2.0
	Shutter	1/100000s~1s
	Minimum Illumination	Color : 0.005Lux@F1.2
	Day/Night	Day/Night/Auto/Customize/Schedule
	Digital noise reduction	2D/3D DNR
	IR Range	Up to 15m
	WDR	120dB Super WDR
<b>Video</b>	Video Compression	H.265+/H.265(HEVC)/H.264+/H.264/MJPEG
	Primary Stream	30fps@(2592x1944)(Original), 30fps@(2560x1440, 1920x1080, 1280x720)
	Secondary Stream	30fps(640x480, 640x360, 320x240)
	Tertiary Stream	30fps@(1920x1080, 1280x720, 704x576, 640x480, 640x360, 320x240, 320x192, 320x180)
	Image Setting	Brightness/Contrast/Saturation/Sharpness
	ROI/Privacy mask	Up to 8 areas
<b>Audio</b>	Audio Compression	G.711/AAC/G.722/G.726
	Two-way Audio	Support
	Audio Interface	Built-in Microphone
<b>System</b>	Video Analysis	Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, People Counting, Object Left/Removed
	Advanced Function	Heat Map, BLC, HLC, 2D DNR, 3D DNR, Defog, AWB, EIS, IP Address Filtering, AGC, Anti-flicker, Corridor Mode, Deblur, Watermark
	Event Trigger	Motion Detection, Network Disconnection, External Input, Audio Alarm, etc
	System Compatibility	ONVIF Profile G & Q & S & T, API
<b>Storage</b>	Storage	Support microSD/SDHC/SDXC Card Local Storage, up to 256G
<b>Network</b>	Protocols	IPv4/IPv6, ARP, TCP, UDP, RTCP, RTP, RTSP, RTMP, HTTP, HTTPS, DNS, DDNS, DHCP, FTP, NTP, SMTP, SNMP, UPnP, Bonjour, SIP, PPPoE, VLAN, 802.1x, QoS, IGMP, ICMP, SSL
	Network Storage	NAS(Support NFS, SMB/CIFS), ANR
<b>Interface</b>	Ethernet	1xRJ45 10M/100M Ethernet Port
<b>General</b>	Power	PoE (802.3af) / DC 12V±10%
		Power consumption: 4.1W MAX, 7.1W MAX (With IR on)
	Operating Conditions	40°C ~ 60°C, 0~90%(Non-condensing)
	Ingress Protection Level	Vandal-proof IK10-rated Metal Housing / Up to IP67-rated Weather-resistant
	Dimensions	95.8mmX74mmX158.5mm
Weight	630g	

## ACCESSORIES



**PM-536WB**  
Pole Mount






**ICB-536WB**  
Internal Corner Bracket



**ECB-536WB**  
External Corner Bracket

## DIMENSIONS

Structure Diagram



Units : mm

### PARTCODE

### DESCRIPTION

TG-536WB

5MP, H.265+, 30fps, Vandal-proof 180° Panoramic Bullet Network Camera 120db WDR, DC12v/POE, IP67

UAE Address:  
P3-Hamriyah Business Centre  
PO Box 50235  
Hamriyah Free Zone - Sharjah - UAE.  
E-mail: info@tgen5.com  
Tel : +97143488459

[HTTPS://TGEN5.COM](https://tgen5.com)